Cumulative Index 1991

Volume 18

January Aesthetic Surgery of the Facial Skeleton, pages 1–215

April Apert Syndrome, pages 217–435

July Reconstruction of the Lower Extremity, pages 437–652

October Male Aesthetic Surgery, pages 653–900

Note: Page numbers for complete issues and articles are in boldface type.

Abdomen, reduction of, 800-803 Abdominoplasty, in men, 804-807 Achilles tendon, defects of, reconstruction in, 628-629, Acne, in Apert syndrome, 223, 305, 329, 407 Acrocephalosyndactyly, type I. See Apert syndrome. Aesthetic surgery, in male, 653-889 of facial skeleton, 1-212 of forehead, 19-27 Airway, narrowing of, in Apert syndrome, 220, 227-228, 303, 309 neonatal, obstruction of, in Apert syndrome, 309-310 Allergic reactions, to anesthesia, 887 Alloplastic prostheses, for calf augmentation, 601-602, 605 Amputations, lower extremity, 535-537 Anesthesia, and cardiac arrhythmias, 873 for body contouring, 798 for male aesthetic surgery, 863-875 drug management prior to, 865 emergency equipment for, 867 evaluation prior to, 863-865 facility design and set-up for, 866-867 patient questionnaire in, 864 premedication and, 865-866 preoperative testing in, 866 problems associated with, management of, 869-874 recovery and discharge following, 868-869, 873 techniques of, 867-868 for microsurgery of lower extremity, 487 for periorbital aesthetic surgery for men, 699 general, for aesthetic surgery in men, 867-868 local, for male aesthetic surgery, 868

for physician-administered anesthesia in office, 881–882
physician-administered in office, 877–889
and postoperative analgesia, 884

certification and, 877
drugs used in, 877
local anesthesia, 881–882
maintenance during procedure, 882–883
perioperative monitoring for, 879–880
perioperative problems in management of, 885–886
preoperative preparations for, 878–879

recovery following, 883–884 sedation for, 880–881 selection of patients for, 877 staff for, 877–878

Ankle, in Apert syndrome, 399, 400
Antibiotics, delivery systems for, in osteomyelitis of lower extremity, 519–520
in treatment of osteomyelitis of lower extremity, 520

used in Apert syndrome, 305, 407 Apert syndrome, 217–427

acne in, 223, 305, 329, 407 adult with, 223 anesthetic management in, 227–230 behavioral problems in, 414 clinical anatomy and evaluation in, 291

clinical assessment and multispecialty management of, 217-225

clinical variations in, 217–218
craniofacial anatomy of, 237–249
awareness of peers of, 413
craniofacial dysmorphology in, 322
craniofacial approach in, 270–272
cranium in, 254–258
general concepts of, 252–253
goals of, 279
management of, history of, 251
midface in, 262–270, 281–284, 297

midface in, 262–270, 281–284, 297–301 nose in, 262–263 orbits in, 258–262

patient data on, 252, 253 surgical correction of, 251–275, 277–289 bone advance/cranioplasty in, 279–281 maxillary/mandibular osteotomies in, 284–288

craniofacial surgery in, and airway, 311 craniostenosis and intracranial anomalies in, diagnosis and treatment of, 231–235

cranium in, 241–244, 254–258 developmental and psychologic considerations in, 409– 416 developmental progress in, 221–233, 234

developmental progress in, 221, 233–234 elbow in, 322–325, 326, 381–389 foot in. See Foot(Feet), in Apert syndrome. forearm in, 337–338, 381–389

treatment of, 775-790

Apert syndrome (Continued) functional activities in, 381-382 genetics and, 219 hand in. See Hand(s), in Apert syndrome. hearing and otitis media in, 221-223, 311-312 management of, 312-313 hospitalization of children with, 413, 414, 415 hydrocephalus in, 221, 232-233 incidence of, 217-218, 321 initial assessment and management in, 219-221 intellectual potential in, 410-411 leg and foot in, anatomy and management of, 399-405 limb abnormalities in, classification and pathologic anatomy of, 321-355 lips in, 294-295 long-term management in, 221–223 mandible in, 248, 270, 284–288, 292–293, 302–303 maxilla in, treatment of, 301-302 midface in, 245-248, 262-270, 281-284, 291-292, 297-301 narrowing of airway in, 220, 227-228, 303, 309 neck in, 295 ocular aspects of, 315-319 ocular surgery in, complications of, 318-319 operative treatment of, 234-235 ophthalmologic problems in, 223 orbits in, 244-245, 258-262 orthodontic and oral/maxillofacial evaluation and treatment in, 291-307 otolaryngologic aspects of, 309-313 parental adjustment to, 409 preoperative evaluation in, 228 psychosocial development in, during school-age period, 413-414 for toddler and preschooler, 412-413 in adolescence, 414-415 in infancy, 411-412 radiographs in, 295-297 responsibilities of caregivers in, 221, 222 shoulder in, 322, 323, 324, 381-389 skeletal abnormalities in, 337-349 sleep apnea in, 223, 227, 303, 310-311 treatment of, 311 subsurface dysmorphology in, 241 surface dysmorphology in, 237-240, 241 surgical treatment and orthodontics in, coordination of, 297-301 teeth in, 247, 268. 269, 292, 293-294, 302 thumb in. See Thumb, in Apert syndrome. visual status assessment in, 232 Arrhythmias, cardiac, anesthesia and, 873 Arteriography, of lower extremity, 486 Baldness, classification of, 775-776 crown height and, 775

Baldness, classification of, 775–776
crown height and, 775
early, operative indications in, 783
preauricular flap in, 783, 784
elasticity of scalp and, 775
grafts in treatment of, 776–777
hair density and, 775
large area of, operative procedures in, 784–785, 786, 788, 789
preauricular flap in, 784, 785
retroauricular flap in, 784, 785
male pattern, and postoperative temporal baldness, treatment of, 775–790
microsurgical free temporoparietal flaps in, 791–796

postoperative temporal, 787, 790 prevention of, ancillary procedures for, 781-783 reductions in. See Reductions, in baldness. scalp "lift" and, 779-780 vertical flaps in treatment of, 777, 778 Behavioral problems, in Apert syndrome, 414 Bimaxillary protrusion, 163, 164 and nasal augmentation, 163-165 segmental osteotomy and, 165, 166 results of, 165, 167, 168 Blepharoplasty, lower lid, 713-717 male, anesthesia and, 699 creative, 703-704 for improved upper lid region, 705-709, 710, 711 recurring problems in, 702-703 upper lid, 709-713 Blepharoplasty approach, for alloplastic cheek augmentation, 37 subcilial, for male facial contour alteration, 739 Blindness, in Apert syndrome, 223, 259-262, 315, 316 Blood pressure, changes in, anesthesia and, 869-873 Blood supply, of knee, 556 of lower extremity, 553-557 of lower leg, 556 to fasciocutaneous flaps, 571-574 to inguinal region, 553, 554 to thigh, 553-554, 555, 556 Blood vessels, cutaneous, pathways to skin, 559, 560 disease of, in diabetes mellitus, 467-468 disorders of, microsurgery of lower extremity and, 486 evaluation of, prior to foot reconstruction in diabetes mellitus, 470-471 injuries of, in lower extremity injuries, 529-532 of hand, in Apert syndrome, 332, 333-334 perfusing skin, three-dimensional network of, 565, 566 peripheral, insufficiency of, and diabetes mellitus, reconstruction of foot in, 467-483 recipient, for immediate reconstruction of lower extremity, 453-454 Body contouring, for particular anatomic sites, 799-813 gender differences and, 798 general guidelines for, 798-799 male, 797-813 goals of, 797-798 indications for, 797 patient selection for, 797-798 operating room preparation for, 798-799 patient positioning for, 798 postoperative care in, 799 Body image, interface surgery of face and, 16-17 Bone gaps, bridging of, Ilizarov concept of, 499-500 methods of, 497-499 with Ilizarov technique, 497-504 complications of, 501-502 Bone grafts, in injuries of lower extremity, 528-529

in mandibular augmentation, 159-161

augmentation of, in aging face, 197

structure of, and skin sag, 200, 201, 202 Bronchospasm, in reaction to anesthesia, 887–888

Buttock implantation, implants for, 848-851

shrinkage of, following facial rejuvenation, 199 Bone mass, changes in, in aging, 197, 200, 201

Bone(s), and soft-tissue envelope, of face, interaction of,

Kiel, 88

5. 6

Bunionette, 641

incisions for, 848, 850

postoperative care in, 851

problems associated with, 848, 851 technique of, 851 Buttocks, contouring of, 811, 812, 813

Calf, aesthetics, Golden Ratio of, 603, 604 augmentation of, aesthetic considerations for, 602-603, 604 alloplastic materials for, 601-602, 605 and correction of contour deformities, 601-613

cases illustrating, 608, 609, 610, 611 complications of, 609, 612

technique of, 603-609 Calf augmentation, 857-862 ambulation following, 830

anatomic assessment for, 857, 861 anesthesia for, 831-832

compartment syndrome following, 836 complications of, 862

implants for, 832, 858, 862 incisions for, 830, 832, 858, 862

indications for, 829, 857 instruments used in, 832, 859, 860

limitations of, 830 postoperative care in, 833-836

postoperative medication and, 831 preoperative evaluation and marking for, 830, 831

preoperative planning for, 830-831 results of, 834, 835, 861

stacking implant system for, 836, 837-838 surgical procedure for, 831-833

techniques for, 829

Callotosis, in bone gaps, 499 Canthopexy, and lid crowding, 721, 722

for facial rejuvenation, 198 Type I, variation of, 719, 720

with disinsertion of lateral canthal tendons, 718-719,

Type II, 719-721

via coronal incisions, 721-723

with transposed flaps, 724, 727, 728, 729

Canthus, lateral, anatomy of, 187 medial, 187

Cardiac arrhythmias, anesthesia and, 873 Carpus, in Apert syndrome, 337-338

Cartilage grafts, combined with fascia graft, for augmentation of nose, 70

harvesting of, for nasal and paranasal augmentation, 65 removal of, for nasal and paranasal augmentation, 65

Central nervous system, malformation of, in Apert syndrome, 220

Cheek augmentation, alloplastic, 29-38 blepharoplasty approach for, 37 candidates for, 32-34, 35

complications of, 38 examination for malar deficiency in, 31-32

face lift approach for, 37 facial analysis for, 29-31 intraoral approach for, 36-37

technique for, 36-37 types of implants for, 34-36 free grafts for, 39-40, 41, 42, 43, 44-45, 46, 47-48, 49

pedicled flaps for, 40 temporalis muscle in, 40-45, 50, 51, 52 using autogenous materials, 39-53

complication of, 39, 40

Cheeks, deficiency of, examination for, for cheek augmentation, 31-32

prominence of, and facial analysis, 29-31

Chest, augmentation, in men, 800, 801-802

male, correction of, 823-828 implantation in. See Pectoralis implantation.

wall, deformities of, pectoralis implantation in, 842, 846, 847

Chin, augmentation of. See Cleft augmentation mentoplasty.

dimple, 852

misshapen in horizontal and vertical dimensions, 150-151

misshapen in horizontal dimension, 149-150 misshapen in vertical dimension, 150

sagittal and vertical dimensions of, increasing of, 143,

shortening of, 146

sagittal dimension of, increasing of, 141–143, 144 reduction of, 143–146

vertical dimension of, increasing of, 143, 145, 146 reduction of, 146, 147

Chin deformity, bony, algorithmic approach in, 141-151 clinical evaluation in, 139-141 lower face analysis in, 141 surgical system for correction of, 139-152 without occlusal problems, 142

Claw toe, 641-642

Cleft augmentation mentoplasty, 851-855 postoperative care in, 855 procedure for, 852-855

results of, 853, 854

Clinodactyly, 365 Compartment syndrome, in lower extremity replantation, 446

Computed tomography, in Apert syndrome, 295-297 Craniofacial dysmorphology, in Apert syndrome, 237-249 surgical correction of, 251-275, 277-289

Craniostenosis, in Apert syndrome, diagnosis and treatment of, 231-235

Cranium, in Apert syndrome, 241-244 surgical correction of, 254-258

Crouzon syndrome, intervertebral fusion in, 295 Crown, height of, baldness and, 775

Cutaneous flaps. See Fasciocutaneous flaps, and cutaneous flaps.

D'Assumpcao marker, for foreheadplasty, 675, 676 Dental hygiene, in Apert syndrome, 302 Developmental considerations, in Apert syndrome, 409-

Diabetes mellitus, foot reconstruction in. See Foot(Feet), reconstruction of, in diabetes mellitus. hemorrheologic changes in, 468-469 vascular disease in, 467-468

Diaphysis, longitudinally bracketed, 365

Ectropion, 189-191

Elbow, in Apert syndrome, 322-325, 326, 381-389

Emergency free-tissue transfer, definition of, 449 history of, 449-450

in reconstruction of lower extremity, 453

monitoring of, in lower extremity reconstruction, 455 wound healing in, 450

Emotional response, to facial contour, 698

Entropion, 188-189

Epicanthal folds, medial, in men, 713, 714

Epinephrine, and physician-administered office anesthesia, 882 excess, symptoms of, 886–887 Exorbitism, in Apert syndrome, 232, 245, 315, 316 Extremity(ies), lower. See *Lower extremity*. Eye(s), infraorbital rim of, deficiencies of, hemiexophthalmos and, 723, 724

problems of, in Apert syndrome, 223 Eyebrow, elevation of, in foreheadplasty, 656–661, 671,

Eyelid(s), anatomy of, influence of, on palpebral apertures, 183–195 specific, 185–186 atonicity of, management of, 717–718 crowding of canthonexy and 791, 792

in Apert syndrome, 315 lower, and orbit, 713–717 malpositions of, 188–191

of Oriental female patients, 183, 184 topographical, anatomy of, 183, 184

upper, bony encroachment and protruding orbital rim of, 711–713

improved, male blepharoplasty for, 705–709, 710, 711

lid retraction of, 186, 193 malpositions of, 191–193 normal anatomy of, 192

skin excision on, designs for, 709-711

Face. See also specific parts of face.
aesthetic appearance of, planning for, 87–88
bony foundation of, and soft-tissue envelope of, interaction of, 5, 6

contour of, approaches for augmentation of, 89 emotional impact of, 698 male, alteration of, by alloplastic implantation, 73i–

> evaluation of patient for, 732 intraoral route for, 738–739 malar-midface augmentation for, 738 premandible approach for, 740–741 preoperative planning for, 737 rhytidectomy approach for, 739–740 subcilial blepharoplasty approach for, 739 technique for, 737–738

temporal-zygomatic and coronal approach for, 740

materials for augmentation of, 88 interface surgery of, ambivalence as motivational state for, 14

body image and, 16–17 body-dysmorphic patients requesting, 12 compulsive cosmetic surgery patients requesting, 12– 13 considerations specific to, 17–18

emotional responses to, preoperative discussion of, 17 internally directed motivations for, 14

motivation(s) for, 13-15 age influencing, 14

personality features of population requesting, 11 psychiatric disorders in population requesting, 11–12 psychosocial considerations in, 11–18 psychosocial outcome of, 15–16

to please another, 13-14 to provide solution to life problem, 13

lower, description of, 4-5 total bony rejuvenation of, 171-181 materials for, 171–172 technique of, 172–177, 178, 179, 180, 181 malar midface region of, 3–4

male, aging, 653

facial expressions and, 653-654

augmentation of, concepts of zonal anatomy in, 733-736

normal, 1-2, 3 orbital region of, 2-3, 4

reduction of, contouring in, 799-800

rejuvenation of, skeletal alterations for, 197-203 patient selection for, 198

patient selection for, 198 results of, 199

surgical considerations in, 197-199

supranormal or attractive, 6 temporal region of, 2, 3 Face lift, subperiosteal, 22–27

Face lift approach, for alloplastic cheek augmentation, 37

Facial aesthetics, basic principles of, 732
Facial analysis, and malar prominence, 29–31
Facial augmentation, contouring in, 799
Facial Palance, begin principles of, 732, 732

Facial balance, basic principles of, 732-733 Facial form, method of analysis of, 6-7

cases illustrating, 7-9 data sheet for, 7

Facial skeleton, aesthetic surgery of, 1–212

aesthetics, evaluation of, and surgical planning, 1-9 alterations in, for facial rejuvenation, 197-203

patient selection for, 198 results of, 199

surgical considerations in, 197-199

imbalances of, requiring osteotomies, 206–211
Fascial grafts, free, combined with cartilage graft, for nasal augmentation, 70

removal of, for nasal and paranasal augmentation, 65 harvesting of, for nasal and paranasal augmentation, 65 in Skoog's procedure, for nasal augmentation, 70, 72, 73 isolated free, for nasal augmentation, 75 temporalis, for augmentation of nasal dorsum, 75–77,

78 temporalis free, to augment radix of nose, 77-81

Fascial spreader graft, temporalis, reconstructing of roof of nasal vault with, 81–82, 83, 84–85

Fasciocutaneous flaps, and cutaneous flaps, 564–567 clinical application of, 567, 568 cluster analysis for, 565–567

blood supply to, 571-574 choice of, by regions, 575-581

in reconstruction of lower extremity, 571–582 aesthetics in, 575

operative technique for, 574–575 results of, 581

indications for, 571 limitations of, 581

Feeding, oral, in Apert syndrome, 220–221

Fixator devices, external. See *Ilizarov devices*. Flanks reduction, in men, 807–808, 809

Flap(s), dissection of, for use in lower extremity, 487 fasciocutaneous. See Fasciocutaneous flaps.

for resurfacing of sole, 615-616 free scalp, types of, 791, 792, 793

free temporoparietal, design of, 792, 794

microsurgical free temporoparietal, clinical cases illustrating, 793, 796

dissection of vessels for, 792, 794 in male pattern baldness, 791-796

muscle, for coverage in lower extremity, 545-552 for use in lower extremity in osteomyelitis, 515-516,

518

of foot, 627-638

musculocutaneous. See Musculocutaneous flaps. of foot, muscle and musculocutaneous, 627-638 preauricular, in early baldness, 783, 784

in large area of baldness, 784, 785

preparation of recipient site for, for microsurgery to lower extremity, 488

retroauricular, in large area of baldness, 784, 785 transfer of, in injuries of lower extremity, 527-528 vertical, in treatment of baldness, 777, 778 scalp lift combined with, 780-781

vertical mini, for treatment of baldness, 777

Flexor retinaculum, in Apert syndrome, 334, 335 Foot(Feet), distal plantar area of, reconstruction of, 628 633-634

in Apert syndrome, 322, 349-355, 391-397, 399, 400. 401, 402, 403

deformities of, clinical and radiographic manifestations of, 392-395, 396

etiology of, 391

management of, 395-396, 401-404

muscle and musculocutaneous flaps of, 627-638 painful syndromes of, diagnosis and management of, 639-648

proximal plantar area of, and heel, reconstruction of, 634-6373-634

reconstruction of, in diabetes mellitus, and peripheral vascular insufficiency, 467-483

appproaches for, 473 at foot dorsum, 473-474 at hindfoot, 476-481

at plantar forefoot, 474, 475, 476, 477 at plantar midfoot, 474-476, 477, 478, 479

neurological evaluation for, 471

planning of, 472-473

preoperative evaluation for, 469-471 radiology prior to, 469-470

vascular evaluation for, 470-471

wound management in, 471-472 sole of, neuropathy and ulceration of, resurfacing in, 616-617

normal, sensibility of, 619

reconstruction of, methods of, 615-616 soft-tissue stability of, 621-622

resurfacing and sensory recovery of, 615-626 sensibility of, methods to measure, 617-619 sensory recovery and sensibility in flaps in, 620-621,

622 stress fractures of, 646-647

territories of, reconstruction of, 628-637

Forearm, in Apert syndrome, 337-338, 381-389

Forehead, 2

aesthetic surgery of, 19-27 augmentation of, 20-22, 23

orbital rim correction and, 20, 21

osteotomies of, 205

recontouring of bone of, 20

surgical approach to, incisions in, 19-20

Foreheadplasty, male, 653-687

consultation for, 656

fundamental concepts of, 653-656

incisions for, 656-661, 665-666, 675, 676

postoperative care in, 678-679

postoperative problems associated with, 679-681 preoperative planning for, 656-664, 665

results of, 681-686

technique of, 665-678

Fracture(s), open, Gustilo-Anderson classification of, 499 of lower extremity, treatment protocol for, 539, 540

stress, of foot, 646-647

tibial, classification of, 527

Frames, for transport, in bone gaps, 498, 499

Free grafts, for cheek augmentation, 39-40, 41, 42, 43, 44-45, 46, 47-48, 49

Free-tissue transfer, emergency. See Emergency freetissue transfer.

Gastrocnemius muscle, as flap for lower extremity coverage, 548, 551

Genioplasty, asymmetric, in chin misshapen in horizontal and vertical dimensions, 150-151

interposition, in vertical chin dimension increase, 143, 145

jumping, in sagittal deficiency and vertical excess of chin, 146-149

sliding, in microgenia in sagittal dimension, 143, 144 Gibbosity, medium vertical frontal, in Apert syndrome, 240

Glenoid dysplasia, in Apert syndrome, 322

Gluteus muscles, as flaps for lower extremity coverage, 548, 549, 550

Grafts. See specific types of grafts. arterial, infection of, 583-584 in treatment of baldness, 776-777

Gynecomastia, 815-822, 824

causes of, 815

classification of, 815-816

lipoplasty in, advantages of, 818-821, 822

liposuction for, pectoralis implantation and, 840, 845

preoperative examination in, 816 surgery in, complications of, 821

indications for, 815, 824 technique for, 816–818, 824–828

treatment of, in fat associated with glandular hypertrophy, 828

Hair, density, baldness and, 775

Hairline, anterior, design of, in male pattern baldness, 791-792, 794

Hallux rigidus, 640-641

Hallux valgus, 649-640

Hammer toe, 641-642

Hand(s), in Apert syndrome, 322, 325-329, 330 analysis of pathologic anatomy of, 329-349, 350, 351, 352

creation of first web space in, 359

creation of second and fourth web space in, 359

creation of third web space in, 359-361

management of, 357-361

goals of, 361-363, 368

surgical protocol for, 357-359

syndactyly correction in, 357-364

Hearing, in Apert syndrome, 221-223, 311-312 management of, 312-313

Heel, soft-tissue defects of, reconstruction in, 628-629, 632, 634-637

Hematoma, in lower extremity replantation, 446

Hemiexophthalmos, and deficiencies of infraorbital rim,

Hemorrhage, intraorbital, in surgery in Apert syndrome, 318

Hips, in Apert syndrome, 399

Hoof hand, in Apert syndrome, 328-329, 330

Hydrocephalus, in Apert syndrome, 221, 232-233

Hyperacrocephaly, in Apert syndrome, 239 Hyperbrachycephaly, in Apert syndrome, 238 Hypertension, anesthesia and, 869-873, 886 Hypotension, anesthesia and, 869

Ilizarov devices, in extremity injuries, debridement prior to use of, 507

fixation for, 507

management steps in, 508-512

secondary reconstruction and, 507-508

surgical cooperation for, 505-508

timing for use of, 506

viability of limb and, 505-506

Ilizarov technique, bridging of bone gaps with, 497-504

Implant(s), alloplastic, for males, 829-855 in anterior mandibular deformities, 109-137

assessment of, 115-126, 127, 128

complications of, 111, 137

custom preparation of implants for, 132, 133, 134

secondary repairs to, 135-137

selection of implants for, 131-132

selection of materials for, 130-131 surgical technique for implantation of, 132-135

buttock, 848-851

facial, choice of, for male, 741

ideal, 736-737

facial alloplastic, for male facial contour alteration, 731-

for chest augmentation, 832, 858, 862

for male aesthetic surgery, 731-749

hydroxyapatite-coated titanium, for mandible, 177, 178,

lateral premaxillary, 99-101, 102, 104

lower orbital rim, 101, 102, 103, 104

malar, choosing of, 741-746

mandibular angle, 156-158, 159

maxillary and infraorbital, alloplastic, 87-105

osseointegrated, in augmented atrophic mandible, 177, 181

para-alar, indications for, 98-99, 100, 104

pectoral, technique for insertion of, 823-824, 825

pectoralis, 836-838, 840, 842

premandible, choosing of, 746-749

premaxillary lower nasal base, 89-98, 104

approach for, and insertion of, 97-98

indications for, 92-93, 94, 95, 96, 97

results of, 98

synthetic, for augmentation of facial contour, 88-89 Incision(s), coronal, for temporal and malar-zygomatic

reduction and augmentation, 56, 57 Infection, as complication, in microsurgery of lower

extremity, 486-487

as complication of facial rejuvenation, 199

ssociated with Apert syndrome, 305

following malar augmentation, 39, 40

of arterial grafts, 583-584

of prosthetic joints, 586-590

wound, in lower extremity replantation, 446

Infraorbit, osteotomies of, 205

Inguinal region, blood supply to, 553, 554

Intellectual potential, in Apert syndrome, 410-411

Intracranial pressure, elevated, in Apert syndrome, 227,

Intraoral approach, for alloplastic cheek augmentation, 36-37

Jaw, upper and lower, segmental osteotomy of, 163-169 Joints, prosthetic, infections of, 586-590

Kiel bone graft, 88 Knee, blood supply of, 556

Labetalol, in hypertension, 873

Lacrimal apparatus, in Apert syndrome, 315, 318

Lacrimal gland, 187

Leg, lower, anatomy of, 857

blood supply of, 556

vounds of, open, grading of, 506

Lidocaine, for physician-administered office anesthesia, 881-882

toxicity, management of, 885

recognition of, 884

Limbs. See also Foot(Feet); Hand(s).

abnormalities in, classification of, and pathologic anatomy of, in Apert syndrome, 321-355

Lip(s), in Apert syndrome, 294-295

Lipoplasty, in gynecomastia, advantages of, 818-821, 822 suction, 803-804

for gynecomastia, and pectoralis implantation, 840, 845

in flanks reduction, 805, 806, 807, 809

Lower extremity, amputations in, 535-537

anatomy of, 584-585, 857

blood supply of, 553-557

muscle and myocutaneous flaps and, 557

immediate reconstruction of, 449-457

assessment of status of limb following, 451

bone fixation for, 452-453

case report of, 455-457

debridement for, 452

disadvantages and advantages of, 450

evaluation of results of, 451

fasciotomies for, 452

free-flap monitoring in, 455

free-flap planning and harvesting for, 453

microvascular anastomoses in, 454-455

operative techniques for, 451-455 positioning of patient for, 451-452

postoperative care in, 455

preoperative and intraoperative decision making for,

recipient vessels in, 453-454

secondary operations in, 455 injuries of, assessment of wound in, 545-546

bone grafting in, 528-529

debridement in, 526-527

flap transfers in, 527-528

formulation of treatment strategy in, 538-540

functional recovery and medical costs following, 537 guiding principles in, 512

management of, with Ilizarov devices. See Ilizarov devices, in extremity injuries.

management steps in, 508-512

mechanism of injury in, 526

severe, management of, 525-543

soft-tissue and bone injuries in, 525-529

to nerves, 532-534

vascular, 529-532

microsurgery of, complications of, 485, 488-489 avoiding of, by patient selection for, 485-486

correction of problems following, 485-489

flap dissection and site preparation for, 487–488 monitoring in, 489 microvascular reconstruction of, in elderly, 459–465 case report of, 460 discussion of cases of, 460–462 patient care in, 462–463 surgical implications in, 459–460 muscle flap coverage for, 545–552 contouring and insetting of flap for, 547 planning of, 546 selection of muscle or musculocutaneous flaps for, 546 specific muscle and musculocutaneous units for, 547–552 timing of, 546–547

open fractures of, treatment protocol for, 539, 540 reconstruction of, 437–648 cutaneous perfusion and, 559–570 fasciocutaneous flaps in, 571–582 replantation of, 437–447, 534–535 case histories of, 437–442 complications of, 446 late results of 445–446

complications of, 446
late results of, 445–446
operative approach for, 443–445
patient preparation for, 443–444
postoperative management in, 445
preoperative assessment for, 442–443
preparation of amputated part for, 443
replantation procedures in, 444–445
revascularization of, with omentum, 491–495

salvage of, contraindications to, 540 salvage of prosthetic grafts and joints in, 583-591 severely injured, indications for amputation of, 451

Magnetic resonance imaging, in Apert syndrome, 295–297 Malar bone, deficiency of, repair of, 723–724, 725 Malar implants, choosing of, 741–746 Malar space, 733 Malar-midface area, reduction and augmentation of, 55–64

coronal incision for, 56, 57 planning of, 55–56 results of, 59–63 technique for, 56–59, 60 Male aesthetic surgery, 653–889

Male pattern baldness, and postoperative temporal baldness, treatment of, 775–790 microsurgical free temporoparietal flaps in, 791–796

microsurgical free temporoparietal flaps in, 791–796 treatment of, 775–790 Malleoli, soft-tissue defects of, reconstruction in, 628–629,

630 Mallet toe, 641–642

Mandible, angle of, abnormal, diagnosis of, 156 surgery in, 156

augmentation and reduction of, 153-161 augmentation of, bone grafts in, 159-161

implants in. 156–158 complications of, 158 results of, 158, 159

benign massenteric hypertrophy of, 153-154 diagnosis of, 154, 155, 156, 157

postoperative care in, 155 surgery in, 154–155 complications of, 155–156 results of, 155, 157 normal, 156, 158

anterior, alloplastic augmentation of, 107-138 advantages of, 112, 114 assessment of implant for, 115-126, 127, 128 assessment of needs in, 112, 114

complications of, 111, 137

compromise in correction in, 111-112, 113 custom preparation of implants for, 132, 133, 134

history of, 109-111 illusion created by, 107-108

in sublabial sulcus, 112–115, 116, 117 secondary repairs to, 135–137

selection of implants for, 131–132 selection of material for, 130–131 side benefits of, 126–130

surgical technique for implantation in, 132–135 deformities of, methods of correcting, 108–137

osteotomies of, 206

augmentation of, for facial rejuvenation, 199

freeze-dried, gamma-radiated cadaveric, for mandibular augmentation, 171–172

in Apert syndrome, 248, 292–293, 302–303 surgical correction of, 270, 284–288

posterior, osteotomies of, 206 Mangled extremity severity score, 506

Mangled extremity severity score, 506

Maxilla, in Apert syndrome, treatment of, 301–302
osteotomies of, 205–206

Maxillary prosthesis, with polystyrene ball attachments, 180

Metacarpals, in Apert syndrome, 338 Metatarsalgia, 642-643

Metatarsalgia, 642–643

Midface, augmentation of, in aging, 198–199 lateral premaxillary implants for, 99–101, 102, 104 lower orbital rim implants for, 101, 102, 103, 104 para-alar implants for, 98–99, 100, 104 premaxillary lower nasal base implants for, 89–98, 104

in Apert syndrome, 245–248, 291–292 surgical correction of, 262–270, 281–284, 297–301

Mitten hand, in Apert syndrome, 328
Monitoring, during microsurgery of lower extremity, 489
Mouth, evaluation and treatment of, in Apert syndrome,
291–307

Muscle(s). See also Specific muscles. and blood supply of lower extremity, 557 of hand, in Apert syndrome, 336–337 of thigh, 554–556

Muscular hypertrophy, periorbital surgery and, 717 Musculocutaneous flaps, 559–564

anatomic investigation for, 560-562 clinical application of, 562-564

of foot, 627-638

Myocutaneous flaps, blood supply of lower extremity and, 557

Nails, in Apert syndrome, 330-331, 395, 396

Nasal dorsum, augmentation of, in primary rhinoplasty, 70–74

in secondary rhinoplasty, 74, 75, 76 temporalis fascia graft for, 75–77, 78

Nasal-jugal groove, tears of, repair of, 723-724, 725

Nausea, following anesthesia, 873–874 management of, 885–886

Neck, in Apert syndrome, 295 reduction of, contouring in, 799-800

Nerve(s), injuries to, in injuries of lower extremity, 532-534

of hand, in Apert syndrome, 334

Neurological evaluation, for reconstruction of foot in diabetes mellitus, 467–483 Neuroma, plantar interdigital, 643-644 Neuropathy, peripheral, diabetic, 468 Nifedipine, in hypertension, 873 Nose, and paranasal augmentation, 65-86 combined with LeFort III osteotomy, 67, 69 combined with rhinoplasty, 66-67, 68 harvesting of grafts for, 65 procedure for, 66, 67 removal of cartilage graft for, 65 removal of free fascial graft for. 65 augmentation of, 67-70, 71 bimaxillary protrusion and, 163-165 complications of, 82-85 free fascia graft combined with cartilage graft for, 70 free fascia graft in Skoog's procedure for, 70, 72, 73 in aging face, 199 isolated free fascia graft in, 75 in Apert syndrome, surgical correction of, 262-263 radix of, temporalis free fascia graft to augment, 77-81

roof of middle cartilaginous vault of, restructuring of,

temporalis fascia spreader graft in, 81-82, 83, 84-

85 Nose-penis relationship, 751

Obstetrician's hand, in Apert syndrome, 325, 327 Office operating room, 877 Omentum, revascularization of lower extremity with, 491-Operating room, office, 877 Ophthalmopathy, thyroid, 186, 193 Orbit(s), anatomy of, 186, 187-188 influence of, on palpebral apertures, 183-195 in Apert syndrome, 244-245 surgical correction of, 258-262 Orbital region, surface anatomy of, 183-185 Orbital rim, correction of, forehead and, 20, 21 Orthodontics, in Apert syndrome, 291-307 Osteogenesis, distraction, in bone gaps, 499 Osteomyelitis, chronic, update on, 515-523 in lower extremity, antibiotic therapy in, 520 development of, 515 follow-up and late recurrence of, 521 goals of therapy for, 516 local antibiotic delivery systems in, 519-520 muscle flaps in use in, 515-516, 518 operative procedures in, 517-519 postoperative care in, 520 preoperative assessment in, 516-517 restoration of bony stability in, 521 Osteotomy(ies), extent of change influencing choice of,

206, 207, 208, 209–210 in mandidular deformities, 108–109 LeFort III, combined with nasal and paranasal augmentation, 67, 69

location of, as factor in potential for complications, 205

oblique, in microgenia, 149 segmental, bimaxillary protrusion and, 165, 166 of upper and lower jaw, 163–169 skeletal imbalances requiring, 206–211

vector of change influencing choice of, 206 when to consider, 205-212

Otitis media, in Apert syndrome, 221–223, 311–312 management of, 312–313

Palpebral aperture(s), anatomy of, 184–185 influence of orbital and eyelid anatomy on, 183–195 normal, 185 variations in, 193–194 Panfacial rejuvenation, 655–656 Panniculectomy, abdominal, 805, 807 Para-alar implants, indications for, 98–99, 100, 104 Parent(s), adjustment of, to child with Apert syndrome, 409 Pectoral implants, technique for insertion of, 823–824,

Pectoralis implantation, anatomic evaluation for, 838–839 and liposuction for gynecomastia, 840, 845 complications associated with, 848 implants for, 836–838, 840, 842 in chest wall deformities, 842, 846, 847 in older patient, 840–842, 845 postonerative care in 846

postoperative care in, 846
preoperative planning for, 839
surgical procedure for, 839–848
Pectus excavatum, implants in, 800, 801–802

Pedicled flaps, for cheek augmentation, 40 Periorbital aesthetic surgery, for men, 689–729 aged, 696–698

aged, 696–698
anesthesia and, 699
conditions requiring, 689, 690, 691, 692
functional reasons for, 690, 693
goals of, 691–694, 685–696, 697
historical questionnaire for, 700
mature, 696
planning of, 702, 703, 704, 705
positioning of patient for planning, 704–705
postoperative stress associated with, 694–695
preoperative evaluation for, 699–702, 703

preoperative evaluation for, 699–702, 703 recurring problems in, 702–703 rules for, 724, 728 stress of, 691 Phalanx(ges), "delta", in Apert syndrome, 365, 367, 392

digital, in Apert syndrome, 340–349, 350, 351, 352, 392, 394

Plantar fasciitis, 644 Plantar interdigital neuroma, 643–644 Poland's syndrome, implants in, 800 Posterior tibial tendon dysfunction, 644–645 Premandible implants, choosing of, 746–749

Premandible space, 735–736 Proplast implants, for cheek augmentation, 34

for facial augmentation in aging, 198, 199 for facial contour augmentation, 88

for temporal and malar-zygomatic augmentation, 59, 63 Prosthesis, maxillary, with polystyrene ball attachments, 180

Pseudoblepharochalasis, 654-655

Psychologic considerations, in Apert syndrome, 409–416 Psychosocial considerations, in interface surgery of face,

Psychosocial development, in Apert syndrome, 411–415 Ptosis, 191–193

Radiographs, in Apert syndrome, 295–297
Radiology, prior to reconstruction of foot in diabetes mellitus, 469–470
Ramus, osteotomies of, 206
Rectus abdominis myocutaneous flap, 547
Rectus femoris muscles, as flaps for lower extremity coverage, 548, 550
Reductions, in baldness, 778–779

Palmar aponeurosis, in Apert syndrome, 331-333

combined elliptic, 779 giant peripheral, 779-780 operative indications for, 783-787 sagittal elliptic, 779 techniques for, 779-781 transverse elliptic, 779 Replantation, of lower extremity, 534-535 Rhinoplasty(ies), augmentation. See Nose, augmentation male, 751-761 aesthetic, primary procedure, 753-755, 756, 757 secondary procedure, 755-760 aesthetics and, 752 ethnic, 759, 760-761 objectives of, 751-752 photographs for, 752 post-traumatic, 752-753, 754-755 screening of patient for, 751 secondary, 763-773 surgical anatomy and, 752

primary, augmentation of nasal dorsum in, 70–74 secondary, augmentation of nasal dorsum in, 74, 75, 76 classification of, 763 Rhytidectomy approach, for alteration of male facial

nasal and paranasal augmentation combined with, 66-

contour, 739–740

Rosebud hand, in Apert syndrome, 328-329, 330

Scalp, elasticity of, baldness and, 775
"lift", 779–780
combined with vertical flaps, 780–781
Dardour techniques for, 780
Sedation, conscious, for male aesthetic surgery, 868
Sedatives, for physician-administered office anesthetic

Sedatives, for physician-administered office anesthesia, 880–881 uses, administration, and properties of, 870–872 Self-awareness, in child with Apert syndrome, 412

Self-concept, of adolescent with Apert syndrome, 415 of child with Apert syndrome, 413 Septocutaneous flaps, 567–570

Sesamoid injuries, 641

67, 68

Shirmer's test, prior to periorbital aesthetic surgery, 701, 702

Shoulder, in Apert syndrome, 322, 323, 324, 381–389 Silicone implants, for cheek augmentation, 34 for facial contour augmentation, 88–89

Skin, blood vessels perfusing, three-dimensional network of, 565, 566

festoons of, at eye, treatment of, 723 in Apert syndrome, 329-330

pathways of cutaneous blood vessels to, 559, 560 perfusion of, and lower extremity reconstruction, 559-

sagging of, in aging, 200, 202, 203

Skoog's procedure, fascia graft in, for nasal augmentation, 70, 72, 73

Skull, contour of, in Apert syndrome, 231

Sleep apnea, in Apert syndrome, 223, 227, 303, 310–311 treatment of, 311

Soft tissues, and bones, of face, interaction of, 5 in aging, 200, 201, 202

Soft-tissue expansion, in lower extremity reconstruction, 593–599

complications of, 597-598 expanders for, 594

expansion and advancement in, 595-596

placement of expanders for, 594 postoperative management in, 595, 597 technique for, 593–595

Soleus muscle, as flap for lower extremity coverage, 548–552 Spade hand, in Apert syndrome, 325, 327

Spoon hand, in Apert syndrome, 328 Strabismus, in Apert syndrome, 317–318 Stress fractures, of foot, 646–647

Supraorbit, osteotomies of, 205 Surgery, aesthetic. See Aesthetic surgery.

men during, 698–699 Syncope, anesthesia and, 869

Tailor's bunion, 641

Tarsal bones, coalition of, 645-646

Tear trough deformity, repair of, 723-724, 725

Tearing, in Apert syndrome, 315, 318

Teeth, in Apert syndrome, 247, 268, 269, 292, 293-294 exposure of, 302

Temporal fossa, reduction and augmentation of, **55–64** coronal incision for, **56**, **57** planning of, **55–56** results of, **59–63**

technique for, 56–59, 60
Temporalis fascia graft, for augmentation of nasal dorsum, 75–77, 78

Temporalis fascia spreader graft, for restructuring of roof of vault of nose, 81–82, 83, 84–85

Temporalis free fascia graft, to augment nasal radix, 77–81 Temporalis muscle, in cheek augmentation, 40–45, 50, 51, 52

Tendons, of hand, in Apert syndrome, 334–336 posterior tibial, dysfunction of, 644–645 Thigh, blood supply to, 553, 554

lateral, reduction of, 808–812 medial, reduction of, 809, 810–811 muscles of, 554–556

flap design for, 376

Thrombosis, as complication in microsurgery of lower extremity, 488–489

Thumb, in Apert syndrome, anatomy of, 365, 366, 367, 368

and management of, 365-380 surgical correction of, first web space in, 375-376

lengthening in, 377 preoperative planning for, 376 realignment and mobilization in, 377 secondary procedures for, 377–380

timing of, 368, 369 surgical procedures on, 366, 369–375

Thyroid ophthalmopathy, 186, 193 Tibia, fractures of, classification of, 527

Toe(s), claw, 641-642

hammer, 641-642 in Apert syndrome, 392, 393, 394,

in Apert syndrome, 392, 393, 394, 401 mallet, 641-642

Trauma, male rhinoplasty following, 752-753, 754-755

Vascular prosthesis, coverage of, planning of, 585–586, 587, 588

Vision, assessment of status of, in Apert syndrome, 232 loss of, in Apert syndrome, 223, 259–262, 315, 316

Vomiting, following anesthesia, 873-874

management of, 885-886

Wound, assessment of, in injuries of lower extremity, 545-546

Wound healing, factors influencing, 450-451

Wound infection, in lower extremity replantation, 446

Wound management, in reconstruction of foot in diabetes mellitus, 471-472

prior to microsurgery of lower extremity, 486–487 Wrist, in Apert syndrome, analysis of pathologic anatomy of, 329–349

Zygoma, osteotomies of, 205

Zygomatic arch, reduction and augmentation of, 55-64

coronal incision for, 56, 57 planning of, 55–56

results of, 59-63

technique for, 56-59, 60

